

## **Bentley PLAXIS® 2D Product Tiers**

## Find the right product level for your needs

Project teams and their requirements can change. To conquer common or complex geotechnical challenges with confidence, you need to use the appropriate capabilities that meet your current needs.

PLAXIS 2D is a user-friendly, finite element package with trusted computation that is used by geotechnical engineers worldwide. We offer three flexible options, each tailored to the different geotechnical analysis needs of any firm:

- PLAXIS 2D offers all the essential functionalities to perform everyday deformation and safety analysis for soil and rock
  that do not require the consideration of creep, steady state groundwater or thermal flow, consolidation analysis, or any
  time-dependent effects.
- PLAXIS 2D Advanced enhances your geotechnical design capabilities with more advanced features and material models to consider creep, flow-deformation coupling through consolidation analysis and steady state groundwater or heat flow. It also solves your problems faster than PLAXIS 2D with the multicore solver.
- PLAXIS 2D Ultimate augments the most comprehensive functionality to deal with the most challenging geotechnical projects.
   The former products 2D PlaxFlow Module, 2D Dynamics Module, and 2D Thermal Module are all now included in PLAXIS 2D Ultimate. The software enables you to:
  - Analyze the effects of vibrations in the soil, such as earthquake and traffic loads
  - · Simulate complex hydrological time-dependent variations of water levels, or flow functions on model or soil boundaries
  - Assess the effect of transient heat flow on the hydraulic and mechanical behavior of soil

Features	PLAXIS 2D	PLAXIS 2D Advanced	PLAXIS 2D Ultimate	Available without GSE*
PROJECT AND MODEL PROPERTIES				
Selection of imperial and SI units for length, force, etc.	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Select between plane strain and axi-symmetric models				
Select between 6-noded and 15-noded element types				
Constants tab in Project properties		<b>Ø</b>		
GEOMETRY CREATION				
Create Borehole Tool	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Select, Move and Array Tools	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Create Soil Polygon, Soil Rectangle Tools		<b>Ø</b>		
Create Point and Line Load Tools	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Create Point and Line Prescribed Displacement Tools		<b>Ø</b>	<b>Ø</b>	
Create Embedded Beam Row, Plate, Geogrid, Fixed-End Anchor, Node-to-node Anchor, Interface Tools		<b>Ø</b>	<b>Ø</b>	
Create Line Contraction Tool		<b>Ø</b>	<b>Ø</b>	
Create Well, Drain and Groundwater Flow Boundary Conditions Tools		<b>Ø</b>	<b>Ø</b>	
Create Thermal Flow Boundary Condition Tool		<b>Ø</b>		
Create Added Mass Tool			<b>Ø</b>	
Tunnel Designer		<b>Ø</b>		
Reinforcement (Rockbolts) Definition in Tunnel Designer	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	

<sup>\*</sup>GSE - Geotechnical SELECT Entitlement.



Features	PLAXIS 2D	PLAXIS 2D Advanced	PLAXIS 2D Ultimate	Available without GSE
SOIL MATERIAL MODELS				
Linear Elastic	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Mohr-Coulomb	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Hardening Soil	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Hardening Soil Small Strain Stiffness	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Modified Cam-clay	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Jointed Rock Model	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
NGI-ADP	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Hoek-Brown, with Parameter Guide		<b>Ø</b>		<b>Ø</b>
Soft Soil		<b>Ø</b>		<b>Ø</b>
Soft Soil Creep				<b>Ø</b>
Sekiguchi Ohta (Viscid)		<b>Ø</b>		<b>Ø</b>
Sekiguchi Ohta (Inviscid)				
UDCAM-S and Cyclic Accumulation Tool		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Concrete				
User Defined Soil Models		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
UBC3D-PLM (liquefaction)			<b>Ø</b>	<b>Ø</b>
SOIL MATERIAL DRAINAGE TYPES				
Drained		<b>Ø</b>		<b>Ø</b>
Undrained A				
Undrained B	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Undrained C				
Nonporous	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
STRUCTURAL ELEMENT MATERIAL TYPES				
Elastic, elastoplastic, and elastoplastic (M-Kappa) plates	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Elastic, elastoplastic, elastoplastic, (N-Epsilon) and viscoelastic geogrids	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Elastic, elastoplastic, and elastoplastic (M-Kappa) embedded beam rows	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Elastic, elastoplastic, and elastoplastic with residual strength fixed-end and node-to-node anchors	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
DYNAMIC, GROUNDWATER AND THERMAL FLOW MATERIAL PROPERTIES				
Groundwater properties, including soil classification systems (Hypres, USDA, etc.) and predefined data sets for (approximate) Van Genuchten models for soil materials	<b>Ø</b>	•	<b>Ø</b>	<b>Ø</b>
Thermal properties for soil and structural elements (excluding embedded beam row)		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Rayleigh damping for soil and structural elements			<b>Ø</b>	<b>Ø</b>
INITIAL CALCULATION TYPES				
K₀ procedure	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Gravity loading	<b>⊘</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Field stress	<b>Ø</b>	•	<b>Ø</b>	<b>Ø</b>
Ground water flow only			<b>Ø</b>	<b>Ø</b>



Features	PLAXIS 2D	PLAXIS 2D Advanced	PLAXIS 2D Ultimate	Available without GSE
DEFORMATION CALCULATION TYPES				
Plastic	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Safety	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Consolidation		<b>Ø</b>		<b>Ø</b>
Dynamic			<b>Ø</b>	<b>Ø</b>
Dynamic with consolidation			<b>Ø</b>	<b>Ø</b>
Fully coupled flow-deformation			<b>Ø</b>	<b>Ø</b>
PORE PRESSURE CALCULATION TYPES				
Phreatic level	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Use pore pressures from previous phase	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Steady state groundwater flow		<b>Ø</b>		<b>Ø</b>
Transient groundwater flow			<b>Ø</b>	<b>Ø</b>
THERMAL CALCULATION TYPES				
Ignore temperature		<b>Ø</b>		<b>Ø</b>
Earth gradient		<b>Ø</b>		
Steady state thermal flow		<b>Ø</b>		<b>Ø</b>
Use temperatures from previous phase		<b>Ø</b>		
Transient thermal flow			<b>Ø</b>	<b>Ø</b>
MISCELLANEOUS FEATURES, TOOLS AND INTEROPABILITY				
Spatial variation of preconsolidation	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Tunnel deconfinement	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Create cluster field stress	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Staged construction and automatic regeneration of construction stages	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Multicore and parallel calculation		<b>Ø</b>		<b>Ø</b>
Design approaches		<b>Ø</b>		<b>Ø</b>
Pseudostatic analysis		<b>Ø</b>		<b>Ø</b>
Generate stratigraphy from imported CPT Logs	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
SoilTest and parameter optimization tool	<b>Ø</b>	<b>Ø</b>		
Sensitivity analysis and parameter variation	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
PLAXIS 2D Classic to PLAXIS 2D CONNECT Edition project converter	<b>Ø</b>	<b>Ø</b>		
PLAXIS 2D LE model import	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
PLAXIS 2D to 3D Converter	<b>Ø</b>	<b>Ø</b>		
Calculation Manager	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
CAD Import and Export	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Command line input (input, output, and soiltest)	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>⊘</b>
Command line autocomplete (input, output, and soiltest)	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Commands runner (input, output, and soiltest)	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Macro library and running macros (input, output, and soiltest)	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Remote scripting for input, output, and soiltest	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
Scripting reference	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
1D site response analysis tool			<b>Ø</b>	
ProjectWise integration, loading from and saving to ProjectWise server		<b>⊘</b>		



Buildings and Facilit neration Oil and G

Roads and Highways Water and Wastewate



Features	PLAXIS 2D	PLAXIS 2D Advanced	PLAXIS 2D Ultimate	Available without GSE
TIME DEPENDENT FUNCTIONS				
Time dependent groundwater flow components for water levels, groundwater flow boundary conditions and soil clusters			<b>Ø</b>	<b>Ø</b>
Definition of groundwater flow functions to specify time dependent changes in head or discharge, etc.			<b>Ø</b>	<b>Ø</b>
Time dependent thermal components for thermal flow boundary conditions and soil clusters			<b>Ø</b>	<b>Ø</b>
Definition of thermal flow functions to specify time dependent changes in temperature or heat flux, etc.			<b>Ø</b>	<b>Ø</b>
Dynamic components in x and y direction for point and line loads or prescribed displacements			<b>Ø</b>	<b>Ø</b>
Definition of dynamic multipliers to create vibration and earthquake signals			<b>Ø</b>	<b>Ø</b>
Scaling tools, Fourier, response spectra, and Arias intensity plots and drift correction for input earthquake signals			<b>Ø</b>	<b>Ø</b>
DYNAMIC BOUNDARY CONDITIONS				
Viscous			<b>Ø</b>	<b>Ø</b>
Tied degrees of freedom			<b>Ø</b>	<b>Ø</b>
Compliant base and free field boundaries				
All nodes fixity			<b>Ø</b>	<b>Ø</b>
POSTPROCESSING & RESULTS				
Various ways to display forces, displacements, stresses, and strains in contour, vector, and iso-surface plots		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Tables of results with copy, sorting, and filter options	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Curve manager to plot graphs of various results across a selection of calculation phases	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Load-displacement curves	<b>Ø</b>	<b>Ø</b>		<b>Ø</b>
Cross-section tools and cross-section curves	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Automatic and manual centerline extraction for structural forces plots of volume plates	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Resulting forces view				<b>Ø</b>
Plot annotations				
Animations		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Report generator				
Printing and saving plots and curves		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Plots & Curves of accelerations, velocities, structural forces envelopes for dynamic phases				
Curve plots of Pseudo Spectral Acceleration, relative displacements and switching between time and frequency representations			<b>Ø</b>	
Plots and curves of pore pressures for phreatic level calculations				
Plots and curves of pore pressures, saturation, suction, and Darcy flux for steady state groundwater flow calculations		<b>Ø</b>		<b>Ø</b>
Plots and curves of pore pressures, saturation, suction, and Darcy flux for transient groundwater flow or fully coupled flow deformation calculations			<b>Ø</b>	<b>⊘</b>
Plots and curves of temperature, ice saturation, and heat flux for steady state thermal flow calculations		<b>Ø</b>	<b>Ø</b>	<b>Ø</b>
Plots and curves of temperature, ice saturation, and heat flux for transient thermal flow or full thermo-hydro-mechanical coupled calculations			<b>Ø</b>	<b>Ø</b>
Export of results to Paraview		<b>Ø</b>	<b>Ø</b>	



© 2021 Bentley Systems, Incorporated. Bentley, the Bentley logo, PLAXIS, PLAXIS 2D, PLAXIS 2D Advanced, PLAXIS 2D Ultimate, and ProjectWise are either registered or unregistered trademarks or service marks of Bentley Systems, Incorporated or one of its direct or indirect wholly owned subsidiaries. Other brands and product names are trademarks of their respective owners. 26595 4/21